EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1414728	(OS (Operat$3 adj system)) and (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L4	39777	(signature digest hash crc score) with (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L5	143123	(register$3 install$6 configur$3) near3 (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L6	23767	(signature digest hash crc score checksum (one adj way adj function)) near5 (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L7	987	L5 same L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L8	731	L7 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L9	413581	(modif$7 security virus harmful attack$3 hack$3) same (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L10	100176	(modif$7 security virus harmful attack$3 hack$3) same (program software application (execut$4 adj code)) same (detect$3 prevent$3 determin$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L11	410	L8 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

L12	199	L8 and L10 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L13	102	L8 and L10 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L14	102	L8 and L10 and @ay <= "2000" and (signature digest hash crc score checksum (one adj way adj function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L15	3	"6694434"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L16	1	("6694434").URPN.	USPAT	OR	ON	2006/04/03 09:03
L17	7	("5412717" | "5638446" | "5825877" | "5892904" | "5919257" | "5944821" | "6256393").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 09:03
L18	10	(("6188995") or ("6189146") or ("6195767") or ("6199178") or ("6202924")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:03
L19	10	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table) and L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L20	7	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table) and L17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L21	125	("5412717").URPN.	USPAT	OR	ON	2006/04/03 09:03
L22	6	("4652990" | "5005200" | "5047928" | "5109413" | "5142578" | "5164988").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 09:03

EAST Search History

L23	1347	(signature digest hash crc score checksum (one adj way adj function)) near5 (program software application (execut$4 adj code)) near5 (execut$3 run$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L24	413581	(modif$7 security virus harmful attack$3 hack$3) same (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L25	13083	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L26	273	secure adj execut$5 and (signature digest hash checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L27	66	secure adj execut$5 and (signature digest hash checksum) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L28	0	(09/376,655).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:03
L29	4	09/376,655	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

EAST Search History

L30	31	(US-20020099946-$).did. or (US-5412717-$ or US-5841870-$ or US-5850559-$ or US-5892904-$ or US-5944821-$ or US-5956403-$ or US-5991774-$ or US-6049610-$ or US-6067582-$ or US-6108420-$ or US-6163841-$ or US-6175924-$ or US-6188995-$ or US-6202924-$ or US-6205551-$ or US-6209093-$ or US-6230184-$ or US-6233683-$ or US-6256393-$ or US-6263348-$ or US-6601236-$ or US-6654888-$ or US-6694434-$ or US-6694436-$ or US-6697948-$ or US-6931379-$). did. or (US-6938164-$ or US-6651171-$ or US-5933826-$ or US-5757919-$).did.	US-PGPUB; USPAT	OR	ON	2006/04/03 09:03
L31	31	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table execut$3 generat$3 calculat$3 subsequence initial first proect$3 modif$8) and L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L32	1790	(detect$3 determin$7 validat$3) with (modif$7 alter$6 infect$3) near3 (program software application OS execut$4 script code) with (memory ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L33	174	(detect$3 determin$7 validat$3) with (modif$7 alter$6 infect$3) near3 (program software application OS execut$4 script code) with (memory ram) and(signature digest hash checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L34	68	(detect$3 determin$7 validat$3) with (modif$7 alter$6 infect$3) near3 (program software application OS execut$4 script code) with (memory ram) and(signature digest hash checksum) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L35	65	L34 not L27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

L36	334	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code)) and ((recalculat$3 regenerat$3 reperform$3 reexecut$3) ((calculat$3 generat$3 perform$3 execut$3) near2 another)) with (signature digest hash crc score checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB .	OR	ON	2006/04/03 09:03
L37	407	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code)) and ((recalculat$3 regenerat$3 reperform$3 reexecut$3) ((calculat$3 generat$3 perform$3 execut$3) near2 another)(re adj (calculat$3 generat$3 perform$3 execut$3))) with (signature digest hash crc score checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	·2006/04/03 09:03
L38	158	L37 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L39	1026	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L40	421	726/26.ccls. and (signature checksum hash digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L41	701	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code)) and (2nd second) adj (signature digest hash crc score checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

L42	268	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code)) and (2nd second) adj (signature digest hash crc score checksum) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L43	243	L42 not L38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L44	27	"5493649"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L45	27	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table execut$3 generat$3 calculat$3 subsequence initial first proect$3 modif$8) and L44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L46	24	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table execut$3 generat$3 calculat$3 subsequence initial first proect$3 modif$8) and L44 and (signature digest hash crc score checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L47	79	726/26.ccls. and (signature checksum hash digest) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L48	1414728	(OS (Operat$3 adj system)) and (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

EAST Search History

L49	39777	(signature digest hash crc score) with (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L50	143123	(register$3 install$6 configur$3) near3 (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L51	23767	(signature digest hash crc score checksum (one adj way adj function)) near5 (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L52	987	L50 same L51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L53	731	L52 and L48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L54	413581	(modif$7 security virus harmful attack$3 hack$3) same (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L55	100176	(modif$7 security virus harmful attack$3 hack$3) same (program software application (execut$4 adj code)) same (detect$3 prevent$3 determin$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L56	410	L53 and L55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L57	199	L53 and L55 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L58	1	("6694434").URPN.	USPAT	OR	ON	2006/04/03 09:03

EAST Search History

L59	10	(("6188995") or ("6189146") or ("6195767") or ("6199178") or ("6202924")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:03
L60	1347	(signature digest hash crc score checksum (one adj way adj function)) near5 (program software application (execut$4 adj code)) near5 (execut$3 run$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L61	413581	(modif$7 security virus harmful attack$3 hack$3) same (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L62	273	secure adj execut$5 and (signature digest hash checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L63	0	(09/376,655).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:03
L64	1790	(detect$3 determin$7 validat$3) with (modif$7 alter$6 infect$3) near3 (program software application OS execut$4 script code) with (memory ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L65	174	(detect$3 determin$7 validat$3) with (modif$7 alter$6 infect$3) near3 (program software application OS execut$4 script code) with (memory ram) and(signature digest hash checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L66	334	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code)) and ((recalculat$3 regenerat$3 reperform$3 reexecut$3) ((calculat$3 generat$3 perform$3 execut$3) near2 another)) with (signature digest hash crc score checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

L67	407	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code)) and ((recalculat$3 regenerat$3 reperform$3 reexecut$3) ((calculat$3 generat$3 perform$3 execut$3) near2 another)(re adj (calculat$3 generat$3 perform$3 execut$3))) with (signature digest hash crc score checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L68	1026	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L69	421	726/26.ccls. and (signature checksum hash digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L70	701	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code)) and (2nd second) adj (signature digest hash crc score checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L71	268	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code)) and (2nd second) adj (signature digest hash crc score checksum) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L72	3	"6694434"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L73	7	("5412717" | "5638446" | "5825877" | "5892904" | "5919257" | "5944821" | "6256393").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 09:03

EAST Search History

L74	10	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table) and L59	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L75	7	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table) and L73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L76	6	("4652990" | "5005200" | "5047928" | "5109413" | "5142578" | "5164988").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 09:03
L77	66	secure adj execut$5 and (signature digest hash checksum) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L78	4	09/376,655	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L79	31	(US-20020099946-$).did. or (US-5412717-$ or US-5841870-$ or US-5850559-$ or US-5892904-$ or US-5944821-$ or US-5956403-$ or US-5991774-$ or US-6049610-$ or US-6067582-$ or US-6108420-$ or US-6163841-$ or US-6175924-$ or US-6188995-$ or US-6202924-$ or US-6205551-$ or US-6209093-$ or US-6230184-$ or US-6233683-$ or US-6256393-$ or US-6263348-$ or US-6601236-$ or US-6654888-$ or US-6694434-$ or US-6694436-$ or US-6697948-$ or US-6931379-$). did. or (US-6938164-$ or US-6651171-$ or US-5933826-$ or US-5757919-$).did.	US-PGPUB; USPAT	OR	ON	2006/04/03 09:03

EAST Search History

L80	31	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table execut$3 generat$3 calculat$3 subsequence initial first proect$3 modif$8) and L79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L81	68	(detect$3 determin$7 validat$3) with (modif$7 alter$6 infect$3) near3 (program software application OS execut$4 script code) with (memory ram) and(signature digest hash checksum) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L82	65	L81 not L77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L83	27	"5493649"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L84	27	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table execut$3 generat$3 calculat$3 subsequence initial first proect$3 modif$8) and L83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L85	24	(OS Operat$3 system program software application execut$4 code signature digest hash crc score checksum one way function modif$7 security virus harmful attack$3 hack$3 detect$3 prevent$3 determin$6 authoriz$3 verif$8 ident$8 table execut$3 generat$3 calculat$3 subsequence initial first proect$3 modif$8) and L83 and (signature digest hash crc score checksum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

EAST Search History

L86	79	726/26.ccls. and (signature checksum hash digest) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L87	25	("5493649").URPN.	USPAT	OR	ON	2006/04/03 09:03
L88	102	L53 and L55 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L89	102	L53 and L55 and @ay <= "2000" and (signature digest hash crc score checksum (one adj way adj function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L90	125	("5412717").URPN.	USPAT	OR	ON	2006/04/03 09:03
L91	158	L67 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L92	243	L71 not L91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L93	13083	(calculat$3 generat$3 perform$3 execut$3) with (signature digest hash crc score checksum (one adj way adj function)) with (program software application (execut$4 adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L94	30	(("5442645") or ("5493649") or ("5892904") or ("5991774") or ("5944821") or ("6006328") or ("6189146") or ("6188995") or ("6195767") or ("6199178") or ("6202924") or ("6694434") or ("6742121") or ("6748538") or ("20030014639")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/03 09:03
L95	10	("6188995"|"6189146"|"6195767"|"6199178"|"6202924").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

EAST Search History

L96	0	L95 and random$2 same (compar$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L97	5	L95 and random$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L98	10	L94 and random$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L99	12	random near3 event same (periodic tim$3 event) and (hash with (generat$3 calculat$3)) and detect$3 with (modif$8 corrupt$3 infect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L100	189	random near3 event same (periodic tim$3 event) and (hash with (generat$3 calculat$3)) and detect$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L101	282	random near3 event same (periodic tim$3 event) and (hash checksum signature) with (generat$3 calculat$3) and detect$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L102	82	random near3 event same (periodic tim$3 event) and random$2 with (hash checksum signature) with (generat$3 calculat$3) and detect$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L103	7	random near3 event same (periodic tim$3 event) and random$2 with (hash checksum signature) with (generat$3 calculat$3) and detect$3 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L104	1	L94 and (periodic near3 (frequency interval))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L105	13	L94 and (periodic frequency interval random)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03

EAST Search History

L106	0	"one of randomly and substantially"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:03
L107	252	713/187.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:12
L108	252	713/187.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:12